National Marine Sanctuaries

Ocean Acidification: The Other CO_2 Problem

Richard A. Feely
NOAA/Pacific Marine Environmental Laboratory
February 2009

With special thanks to: James Orr, Victoria Fabry, Carol Turley, Chris Sabine, Joanie Kleypas, Kitack Lee, and Simone Alin



What we know about the ocean chemistry of *...saturation state*

$$CO_2 + CO_3^{2-} + H_2O \Leftrightarrow 2HCO_3^-$$

Saturation State

$$\Omega_{phase} = \frac{[Ca^{2+}][CO_3^{2-}]}{K^*_{sp,phase}}$$

$$Ca^{2+} + CO_3^{2-} \rightarrow CaCO_3$$

calcium carbonate calcium carbonate

$\Omega > 1 =$ *precipitation*

$\Omega = 1 =$ *equilibrium*

$\Omega < 1 =$ *dissolution*



What we know about ocean CO_2 chemistry *...from field observations*



WOCE/JGOFS/OACES Global CO_2 Survey

~72,000 sample locations collected in the 1990s

DIC ± 2 $\mu mol\ kg^{-1}$

TA ± 4 $\mu mol\ kg^{-1}$

Sabine et al (2004)

What we know about ocean CO_2 chemistry…*from observed shoaling saturation horizons*



Global Water-column Dissolution = 0.5 Pg C yr^{-1}

Modern Aragonite Saturation Horizon

Preindustrial Aragonite Saturation Horizon

Modern Calcite Saturation Horizon

Preindustrial Calcite Saturation Horizon



The aragonite and calcite saturation horizons have shoaled towards the surface of the oceans due to the penetration of anthropogenic CO_2 into the oceans.

Feely et al. (2004)

What we know about ocean CO_2 chemistry…*from observed aragonite and calcite saturation depths*



Feely et al. (2004)

Natural processes that could accelerate the ocean acidification of coastal waters

- Coastal Upwelling



North American Carbon Program

Continental Carbon Budgets, Dynamics, Processes, and Management



Aragonite Saturation State in west coast waters

Experiments on Many Scales

Biosphere 2





SHARQ
Submersible Habitat for Analyzing Reef Quality

Provided by Mark Eakin

Aquaria and Small Mesocosms

Coccolithophore (single-celled algae)

pCO_2 280-380 ppmv

pCO_2 780-850 ppmv





Calcification decreased

- 9 to 18%

Emiliania huxleyi



- 45%

Gephyrocapsa oceanica

Malformed liths at high CO_2

Manipulation of CO_2 system by addition of HCl or NaOH

Riebesell et al.(2000); Zondervan et al.(2001)

Shelled Pteropods (planktonic snails)

Respiratory CO_2 forced Ω_A <1
Shells of live animals start to dissolve within 48 hours

Whole shell:
Clio pyramidata

Arag. rods exposed

Prismatic layer (1 μm) peels back



Aperture (~7 μm): advanced dissolution

Normal shell: no dissolution

Orr et al. (2005)

Response of mussels & oysters to elevated CO_2



Decrease in calcification rates for the 2 species:

Mytilus edulis

Crassostrea gigas

- Significant with pCO_2 increase and $[CO_3^{2-}]$ decrease

At pCO_2 740 ppmv:

- 25% decrease in calcification for mussels
- 10% decrease in calcification for oysters

Gazeau et al., 2007

Bivalve juvenile stages can also be sensitive to carbonate chemistry



Hard shell clam *Mercenaria*

- Common in soft bottom habitats

Used newly settled clams

- Size 0.3 mm
- Massive dissolution within 24 hours in undersaturated water; shell gone within 2 weeks
- Dissolution is source of mortality in estuaries & coastal habitats

Green et al., 2004

Potential Effects on Open Ocean Food Webs



Coccolithophores

ARCOD@ims.uaf.edu

Copepods

Pteropods

Pacific Salmon

What we know about the biological impacts of ocean acidification *...on marine fish*



Scorecard of Biological Impacts

Physiological process	Major group	# species studied	Response to increasing CO_2			
Calcification						
	Coccolithophores	4	2	1	1	1
	Planktonic Foraminifera	2	2	-	-	-
	Molluscs	4	4	-	-	-
	Echinoderms	2	2	-	-	-
	Tropical Corals	11	11	-	-	-
	Coralline Red Algae	1	1	-	-	-
Photosynthesis[1]						
	Coccolithophores[2]	2	-	2	2	-
	Prokaryotes	2	-	1	1	-
	Seagrasses	5	-	5	-	-
Nitrogen Fixation						
	Cyanobacteria	1	-	1	-	-
Reproduction						
	Molluscs	4	4	-	-	-
	Echinoderms	1	1	-	-	-

1) Strong interactive effects with nutrient and trace metals availability, light, and temperature
2) Under nutrient replete conditions

Figure from Doney et al. (2009)

Conclusions

- Impacts of ocean acidification on ecosystems are largely unknown.
- Calcification in many planktonic organisms is reduced at elevated CO_2, but the response is not uniform.
- Possible responses of ecosystems are speculative but could involve changes in species composition & abundances - could affect food webs, biogeochemical cycles.
- Baseline data with sufficient resolution are lacking in coastal regions where $CaCO_3$ saturation states are expected to decrease dramatically over in next 50-100 years.